

# Project F212: Root-proof pipe bedding systems



How can root intrusion be prevented?

A test system was created within the framework of Sub-Project I, “Planting of large trees with an underground test system (root trenches) in Osnabrück”, in order to investigate various bedding materials for their effects on the regeneration of tree roots.

Sub-Project II is now pursuing two aims:

- the creation of rehabilitation zones to create optimum growth conditions for the roots of large trees.
- studies of a structurally optimised lava-based substrate with a view to its more extensive use for rainwater storage.

## Project title

“Environmentally safe sewer construction by means of root-resistant pipe bedding – Part II: Creation of rehabilitation zones with an underground test system (root trenches) around the large trees planted, at the Osnabrück location”

# Project management



Pipe joint exhibiting severe root infiltration

IKT - Institute for Underground Infrastructure

## Project participants

- Funke Kunststoffe GmbH
- Humberg Metall- und Kunstguss GmbH
- Opitz International GmbH & Co. KG
- Osnabrücker ServiceBetrieb
- Dipl.-Ing. Klaus Schröder
- Stadtwerke Osnabrück AG (municipal utility)
- Peter Stockreiter GmbH & Co. KG
- Dr. Markus Streckenbach (expert consultancy for urban vegetation)
- VulkaTec Riebensahm GmbH

## Client

German Federal Environmental Foundation (DBU)

## Contact

**Christoph Bennerscheidt**

**Dipl.-Ing.**

T: +49 (0) 209 17806-25

E: bennerscheidt@ikt.de

---

# Project F208: Performance analysis of combined sewage treatment plants

What technologic equipment do storm-water tanks need to have when current and future requirements are taken into account? What evaluation methods are appropriate for the reliable assessment, using standardised criteria, of the performance of combined sewage treatment plants on the basis of operational data?



The storm-water tanks in the German states of Baden-Württemberg and North Rhine-Westphalia will be categorised, to enable analysis of the performance of the tanks. A survey to compare the available data and actual operational conditions will then be undertaken on random samples. Average sedimentation efficiencies will be recorded using water samples and on-line measurements for a selection of these tanks. Performance in terms of sedimentation will be analysed in detail.

Theoretical analyses, semi-commercial-scale model tests and commercial-scale tests on lamella clarifiers, will be undertaken in order to improve sedimentation performance. The potential for improved performance will be evaluated, and proposals drafted for future dimensioning and design aimed at assuring the reliable operation of these systems.

The conclusions will consider the potential for rationalisation and improvement of all the tanks.

## **Project title**

“Monitoring and optimisation of combined sewage treatment performance”

## **Project management**

Karlsruhe Institute of Technology (KIT)

## **Project participants**

- Aggerverband (water authority)
- Dahlem – Beratende Ingenieure GmbH & Co Wasserwirtschaft KG (water-management engineering consultancy)
- University of Applied Sciences Münster, Faculty of Civil Engineering, Laboratory for Hydroengineering and Water Management
- IKT - Institute for Underground Infrastructure
- UFT Umwelt- und Fluid-Technik Dr. H. Brombach GmbH (environmental-engineering consultancy)

## **Client**

Ministry for Climate Protection, Environment, Agriculture, Nature Conservation and Consumer Protection of the German State of North Rhine-Westphalia (MKULNV)

# Contact

Markus Gillar

Dipl.-Ing.

T: +49 (0) 209 17806-46

E: gillar@ikt.de

---

## Project F207: Inspection of culverts and pressure pipes



Field research: Inspection of a pressure pipe

This is a two Phase project examining the inspection and condition-surveying of pressure sewer pipes and culverts.

In Phase 1, the methods of use, preconditions for use and costs of available technologies for surveying the condition of pressure sewer pipes were collated. Their potential for use in pressure sewer pipes was evaluated and recommendations made.

In Phase 2, the emphasis here will be on the implementation of

the recommendations for action drafted in Phase I. Factors that might cause damage to pressure sewer pipes are to be identified, order to provide operators with specific aids to enable more reliable evaluations of condition. The extent to which general principles can be evolved for the determination of condition-survey intervals will be clarified.

Inspection procedures tailored to pressure sewer pipes and recommendations for action for hydraulic pressure tests are also to be developed. A requirement profile for inspection technologies will be drafted, in order to induce manufacturers to further develop technologies adapted to suit pressure sewer pipes.

## **Project title**

“Inspection and condition-surveying of pressure sewer pipes and culverts: Recommendations for action on technical and economic criteria – Phase II”

## **Project management**

IKT - Institute for Underground Infrastructure

## **Project participants**

–

## **Client**

Ministry for Climate Protection, Environment, Agriculture, Nature Conservation and Consumer Protection of the German State of North Rhine-Westphalia (MKULNV)

## **Contact**

**Martin Liebscher**

**Dipl.-Ing.**

T: +49 (0) 209 17806-23

# Project F206: Trenchless installation methods for district-heating piping systems



Open-trench installation of  
district-heating piping

Ever greater importance is being attached to the expansion of district-heating networks as energy development progresses. Costs can be saved and resources conserved by installing new piping systems using trenchless technologies.

However, the trenchless installation of district-heating systems frequently encounters scepticism due to a lack of basic knowledge about its use. A research consortium consisting of AGFW, IKT and seven other partners, now intends to identify and eliminate existing technical and non-technical factors limiting trenchless district-heating piping

installation.

IKT is performing tests on wear-protection for the plastic jacket of district-heating pipes, and is also participating in market research into products and procedures for trenchless installation of district-heating piping systems.

## **Project title**

“Identification of potentials for and limitations on the use of trenchless installation methods for district-heating piping for comparative tests at points of material changeover/transition”

## **Project management**

AGFW – Projektgesellschaft für Rationalisierung, Information und Standardisierung mbH

## **Project participants**

The German federal economics and energy ministry is the client

- Brugg Rohrsysteme GmbH
- Institute for Geotechnical Engineering, Leibniz University of Hannover<sup>1</sup>
- Weimar Research Institute for Underground and Piping Engineering
- IKT - Institute for Underground Infrastructure
- Hanover District Heating Research Institute.
- Hannover University of Applied Sciences
- Tracto-Technik GmbH
- Veenker GmbH

## **Client**

Federal Ministry for Economic Affairs and Energy (BMWi)



# Contact

**Markus Treinen**

**M.Sc.**


T: +49 (0) 209 17806-26

E: treinen@ikt.de

---

## **Project F215: Handling of water drainage from private sites**

This study has provided guidelines for municipalities and system operators on pragmatic solutions for handling water drainage from private sites comprising:



- Recommendations and examples for assessing drainage water situations
- Conceptual solutions and methods for the assessment and selection of suitable pragmatic provisions
- Tools for supporting the implementation solutions
- Advice on communication with stakeholders in order to achieve higher acceptance of planned provisions by both the public and politicians, and to facilitate advance

dialogue with supervisory authorities.

## **Project title**

“Handling of water drainage from private sites – pragmatic conceptual solutions and aids to argumentation”

## **Download report**

(German version only)

Long version (288 pages)

Short version (19 pages)

## **Project management**

IKT - Institute for Underground Infrastructure

## **Project participants**

- NRW Municipal Agency GmbH
- Billerbeck municipal waste-water utility
- Municipality of Borcheln
- City of Datteln
- Stadtwerke Essen AG municipal utility
- Immobilien und Abwasserbetrieb Herford property/waste-water utility
- Stadtentwässerung Herne AöR municipal drainage utility
- City of Iserlohn
- Municipality of Kirchlengern
- City of Plettenberg
- Rheda-Wiedenbrück municipal waste-water utility

## **Client**

Ministry for Climate Protection, Environment, Agriculture, Nature Conservation and Consumer Protection of the German State of North Rhine-Westphalia

# Contact

Amely Dyrbusch

Dipl.-Ing.

T: +49 (0) 209 17806-38

E: dyrbusch@ikt.de

---

## Project F198: Optimising sewer cleaning, exploiting operational synergies



Conserving resources: Sewer cleaning only when and where necessary

Cleaning is an important factor in maintaining the correct functioning of sewer system, and absorbs a significant portion of municipal budgets in North Rhine-Westphalia. It is,

however, often the case that system operators' resources are not used efficiently, or that, due to inadequate knowledge of the condition of sewer systems, lengths of sewer are cleaned without this being really necessary.

The introduction of optimising sewer cleaning strategy is frequently cited as an obvious solution, against the background pressure of rising cost. However, the restructuring of cleaning strategies is not always easy for system operators since there is no universally applicable concept for implementation. Also, the effects of such changes on the drain/sewer system and on the environment can in many cases not be estimated in advance.

The basic principles of optimising sewer cleaning strategies and their operational procedures and potentials for enhancement of efficiency have been elaborated in this research project. A large number of workshops and working meetings with sewer-system operators from all over Germany have been held to facilitate these changes for system operators. These provided an opportunity to compile and discuss the operators' problems, wishes and requirements, and their experience with the use of various cleaning strategies. These findings have been compiled to provide other system operators with assistance in the optimisation of their own cleaning strategy.



Discussing measured data: How efficient is the sewer flushing vehicle?

Comprehensive findings on the performance of HP nozzles and on the behaviour of depositions subjected to HP jetting have already been compiled in “Sewer cleaning – Nozzles, pressures, high-pressure jetting” project (Bosseler and Schlüter, 2004). The loads exerted on various pipe materials by HP jetting were also examined.

The current project examined the technical aspects of the formation and removal of depositions, with a view to optimised planning of cleaning operations (when, how often).

Scientific tests performed on a test length of sewer were used to determine how quickly depositions accumulate under defined conditions, how they change and the forces necessary to erode them. Supplementary laboratory-scale investigations studied the generation of hydrogen sulphide and the erosion-resistance of such depositions.

The results were used to draw conclusions concerning the selection of cleaning intervals, the aim being to reduce cleaning input and effort without risking blockages or other impairment of correct sewer-system functioning.

## **Project title**

“Investigations of optimising sewer cleaning, exploiting operational synergies – Phase 1”

## **Download report**

(German version only)

Report (194 pages)

Annex: Materials for communications activities for promotion of strategy change (252 pages)

Working aid (9 pages)

## **Project management**

Ruhr University Bochum, Chair of Urban Water Management and Environmental Engineering

# **Project participants**

IKT - Institute for Underground Infrastructure

## **Client**

Ministry for Climate Protection, Environment, Agriculture,  
Nature Conservation and Consumer Protection of the German  
State of North Rhine-Westphalia

## **Contact**

**Serdar Ulutaş**

**Dipl.-Ing. (FH), MBA**

T: +49 (0) 209 17806-32

E: [ulutas@ikt.de](mailto:ulutas@ikt.de)